

TARMAC BUXTON LIME & POWDERS

Tarmac Buxton Cement and Lime

PRODUCT SAFETY DATA SHEET

CALCIUM DIHYDROXIDE SUSPENSION

Prepared in accordance with Regulation EC 1907/2006 (REACH), Regulation (EC) 1272/2008 (CLP) as amended

1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1: Identification of the substance or preparation

Substance Name:	Calcium dihydroxide, Hydrated Lime
Synonyms:	Calcium hydroxide, slaked lime, milk of lime, lime putty, lime water, lime slurry, liquid lime
Chemical Name and Formula:	Calcium dihydroxide, suspension in water – $\text{Ca}(\text{OH})_2 + \text{H}_2\text{O}$
Trade Name:	Kalic, Kalic35, Kalic HS, Kalic HSD
CAS N°:	1305-62-0
EINECS N°:	215-137-3
Molecular Weight:	74.09 g/mol
Reach Registration No:	01-2119475151-45-0135

1.2: Use of the substance

The substance is intended for the following non-exhaustive list of uses:

Building material industry, Chemical industry, Agriculture, Biocidal use, Environmental protection (e.g. flue gas treatment, waste water treatment, sludge treatment), Drinking water treatment, Feed, food and pharmaceutical industry, Civil engineering, Paper and paint industry

1.2.1 Identified uses

All uses listed in Table 1 of the Appendix of this SDS are identified uses

1.2.2 Uses advised against

No use identified in Table 1 of the Appendix of this SDS is advised against

1.3: Company Identification

Name:	Tarmac Cement & Lime
Address:	Buxton Lime & Powders Tunstead House Buxton Derbyshire SK17 8TG
Phone:	+44 (0)1298 768555

E-mail of competent person responsible for SDS : buxton.enquiry@tarmac.com

1.4: Emergency telephone

UK/European Emergency N°: 999/112
 BL&C Transport Emergency Contact N°: +44 (0)1298 27500 (including out of hours)
 Refer to Hospital Accident and Emergency Department

2: HAZARDS IDENTIFICATION

2.1: Classification of the Substance

2.1.1: Classification according to Regulation (EC) 1272/2008

STOT Single Exp. 3, H335 Route of exposure: Inhalation
 Skin Irritation 2, H315
 Eye Damage 1, H318

Additional information

For full text of H-statements and R-phrases; see SECTION 16

2.2: Label elements

2.2.1: Labelling according to Regulation (EC) 1272/2008

Signal word: Danger

Hazard pictogram:



Hazard statements:

H315: Causes skin irritation
 H318: Causes serious eye damage
 H335: May cause respiratory irritation

Precautionary statements:

P102: Keep out of reach of children
 P280: Wear protective gloves/protective clothing/eye protection/face protection
 P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P302+P352: IF ON SKIN: Wash with plenty of water
 P310: Immediately call a poison centre or doctor/physician
 P261: Avoid breathing dust/spray
 P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 P501: Dispose of contents/container in accordance with local/regional/national/international regulation

2.3: Other hazards

The substance does not meet the criteria for PBT or vPvB substance.

No other hazards identified.

3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1: Composition

CAS number	EC number	Registration No	Identification name	Weight % content (or range)	Classification according to Regulation (EC) No 1272/2008 [CLP]
1305-62-0	215-137-3	01-2119475151-45-0135	Calcium dihydroxide	18% - 45% aqueous solution	Eye Dam 1 H318 Skin Irrit. 2 H315 STOT SE 3 (inhalation) H335

Impurities: No impurities relevant for classification and labelling.
Small quantities of calcium carbonate, calcium oxide and impurities.
Impurities in lime products will vary from source to source.

4: **FIRST-AID MEASURES**

4.1: **General Advice**

No known delayed effects. Consult a physician for all exposures except for minor instances.

Following Eye Contact:

Rinse eyes immediately with plenty of water and seek medical advice.

Following Inhalation:

Move source of dust/spray or move person to fresh air. Obtain medical attention immediately.

Following Ingestion:

Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. Obtain medical attention.

Following Skin Contact:

Carefully and gently brush the contaminated body surfaces in order to remove all traces of product. Wash affected area immediately with plenty of water. Remove contaminated clothing. If necessary seek medical advice.

Self-protection of the first aider

Avoid contact with skin, eyes and clothing – wear suitable protective equipment (see section 8)

Avoid inhalation of dust / spray – ensure that sufficient ventilation or suitable respiratory protective equipment is used, wear suitable protective equipment (see section 8).

4.2: **Most important symptoms and effects, both acute and delayed**

Calcium dihydroxide is not acutely toxic via the oral, dermal, or inhalation route. The substance is classified as irritating to skin and the respiratory tract, and entails a risk of serious damage to the eye. There is no concern for adverse systemic effects because local effects (pH effect) are the major health hazard.

4.3: **Indication of any immediate medical attention and special treatment needed**

Follow the advice given in section 4.1

5: **FIRE-FIGHTING MEASURES**

5.1.1: **Suitable extinguishing media**

The product is not combustible. Use a dry powder, foam or CO₂ fire extinguisher to extinguish the surrounding fire.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.1.2: **Unsuitable extinguishing media**

Do not use water.

5.2: **Special hazards arising from the substance or mixture**

None

5.3: **Advice for fire fighters**

Fight fire with normal precautions from a reasonable distance. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Avoid contact with skin and eyes. Do not allow run-off from fire fighting to enter drains or water courses.

6: **ACCIDENTAL RELEASE MEASURES**

6.1: **Personal precautions, protective equipment and emergency procedures**



Ensure suitable personal protection during removal of spillages. Wear suitable protective clothing and eye/face protection. Avoid contact with skin and eyes. Ensure adequate ventilation. Avoid breathing vapours. Avoid dust generation. Please see section 8 for appropriate personal protection equipment.

6.1.1: For non-emergency personnel

Ensure adequate ventilation to control mists when spraying.

Keep dust / spray levels to a minimum.

Keep unprotected persons away.

Avoid contact with skin, eyes, and clothing – wear suitable protective equipment (see section 8).

Avoid inhalation of dust / spray / vapours– ensure that sufficient ventilation or suitable respiratory protective equipment is used, wear suitable protective equipment (see section 8).

6.1.2: For emergency responders

Ensure adequate ventilation to control mists when spraying.

Keep dust / spray levels to a minimum.

Keep unprotected persons away.

Avoid contact with skin, eyes, and clothing – wear suitable protective equipment (see section 8).

Avoid inhalation of dust / spray / vapours– ensure that sufficient ventilation or suitable respiratory protective equipment is used, wear suitable protective equipment (see section 8).

6.2: Environmental precautions

Contain the spillage. Do not allow the spillage to enter drains, sewers or watercourses. Cover area if possible to avoid unnecessary dust / spray / mist hazard. Avoid uncontrolled spills to watercourses and drains (pH increase). Any large spillage into watercourses must be alerted to the Environment Agency or other regulatory body.

6.3: Methods and material for containment and cleaning up

Ensure suitable personal protection during removal of spillages. Contain and cover spilled substance with dry sand or earth or other suitable dry material. Sweep or shovel-up spillage and remove to a safe place. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.

6.4: Reference to other sections

For more information on exposure controls/personal protection or disposal considerations, please check section 8 and 13 and the Appendix of this safety data sheet.

7: HANDLING AND STORAGE

7.1: Precautions for safe handling

7.1.1: Protective Measures

Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours. In case of inadequate ventilation wear respiratory protection. Avoid contact with skin and eyes. Wear protective gloves/eye protection. Do not wear contact lenses when working with this material. Eyewash bottles should be available. When handling bags usual precautions should be paid to the risks outlined in the Council Directive 90/269/EEC.

7.1.2: Advice on general occupational hygiene

Avoid inhalation or ingestion and contact with skin and eyes. General occupational hygiene measures are required to ensure safe handling of the substance. These measures involve good personal and housekeeping practices (i.e. regular cleaning with suitable cleaning devices), no drinking, eating and smoking at the workplace. Shower and change clothes at end of work shift. Do not wear contaminated clothing at home.

7.2: Conditions for safe storage, including any incompatibilities

Bulk storage should be in purpose–designed silos, avoid contact with air. Keep away from acids, significant quantities of paper, straw, and nitro compounds. Keep out of reach of children. Do not use aluminium for transport or storage if there is a risk of contact with water.

7.3: Specific end use(s)

Please check the identified uses in table 1 of the Appendix of this SDS.

For more information please see the relevant exposure scenario, available in the Appendix, and check '2.1: Control of worker' in the relevant exposure scenario section in the Appendix.

8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1: Control parameters

United Kingdom:

Occupational Exposure Limits (OEL) (8hr TWA): 5 mg/m³

Europe:

According to Directive (EU) 2017/164 of 31 January 2017

Occupational Exposure Limits (OEL) (8hr TWA): 1 mg/m³ Fine Fraction Dust

Short Term Exposure Limit (STEL), 15 min: 4 mg/m³ Fine Fraction Dust

PNECs:

PNEC (Fresh water) = 0.49 mg/L

PNEC (Fresh water sediments) = No PNEC available. Insufficient data.

PNEC (Marine water) = 0.32 mg/L

PNEC (Marine sediments): No PNEC available. Insufficient data.

PNEC (Food – Bioaccumulation): No hazard identified. No potential for bioaccumulation

PNEC (Microorganisms in sewage treatment) = 3 mg/L

PNEC (Soil) = 1080 mg/kg soil dw

PNEC (Air): No hazard identified

DNELs:

Workers				
Route of exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required			
Inhalation	4 mg / m ³ (Respirable dust)	No hazard identified	1 mg / m ³ (Respirable dust)	No hazard identified
Dermal	Hazard identified but no DNEL available	No hazard identified	Hazard identified but no DNEL available	No hazard identified

Consumers				
Route of exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	No exposure expected	No hazard identified	No exposure expected	No hazard identified
Inhalation	4 mg / m ³ (Respirable dust)	No hazard identified	1 mg / m ³ (Respirable dust)	No hazard identified
Dermal	Hazard identified but no DNEL available	No hazard identified	Hazard identified but no DNEL available	No hazard identified

8.2: Exposure controls

To control potential exposures, generation of dust should be avoided. Further, appropriate protective equipment is recommended. Eye protection equipment (e.g. goggles or visors) must be worn, unless potential contact with the eye can be excluded by the nature and type of application (i.e. closed process). Additionally, face protection, protective clothing and safety shoes are required to be worn as appropriate.

Please check the relevant exposure scenario, given in the Appendix available via your supplier

8.2.1: Appropriate engineering controls

If user operations generate dust, use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne dust levels below recommended exposure limits.

8.2.2: Individual protection measures, such as Personal Protective Equipment

8.2.2.1: Eye/face protection:

Do not wear contact lenses. Wear tight fitting goggles with side shields, or wide vision full goggles (EN166). It is also advisable to have individual pocket eyewash.



8.2.2.2: Skin protection:

Since calcium dihydroxide is classified as irritating to skin, dermal exposure has to be minimised as far as technically feasible. The use of protective gloves (nitrile), protective standard working clothes fully covering skin, full length trousers, long sleeved overalls, with close fittings at openings and shoes resistant to caustics and avoiding dust penetration are required to be worn.



8.2.2.3: Respiratory protection:

Local ventilation to keep levels below established threshold values is recommended. A suitable particle filter mask is recommended, depending on the expected exposure levels - please check the relevant exposure scenario, given in the Appendix / available via your supplier.



8.2.2.4: Thermal Hazards:

The substance does not represent a thermal hazard, thus special consideration is not required.

8.2.3: Environmental exposure control

All ventilation systems should be filtered before discharge to atmosphere.

Avoid releasing to the environment.

Contain the spillage. Any large spillage into watercourses must be alerted to the regulatory authority responsible for environmental protection or other regulatory body.

For detailed explanations of the risk management measures that adequately control exposure of the environment to the substance please check the relevant exposure scenario, available via your supplier.

For further detailed information, please check the Appendix of this SDS.

9: PHYSICAL AND CHEMICAL PROPERTIES

9.1: Information on basic physical and chemical properties

Appearance:	White or off-white (beige) liquid (suspended in water)
Odour:	odourless
Odour threshold:	not applicable
pH:	12.4 (saturated solution at 20 °C)
Melting Point/Freezing Point:	0 °C (Water)
Initial boiling point and boiling range:	100 °C (Water)
Flash point:	Not applicable
Evaporation Rate:	Not applicable
Flammability (solid, gas):	Non-flammable (study result EU Method A.10)
Upper/lower flammability or explosive limits:	Not applicable
Vapour pressure:	23 mbar (Water)
Vapour density:	Not determined
Relative density:	1.4 g/cm ³
Solubility(ies):	Water: 1844.9 mg/l (study result, EU Method A.6)
Partition coefficient: n-octanol/water:	Not applicable (Inorganic)
Auto-ignition temperature:	No relative self-ignition temperature below 400 °C (study result, EU Method A.16)
Decomposition Temperature:	> 580 °C
Typical Viscosity:	1000 (Kalic HS) – 10,000 (Kalic) m pa.s
Explosive properties:	Non-explosive
Oxidising properties:	None known

9.2: Other Information

Not available

10: STABILITY AND REACTIVITY

10.1: Reactivity

In aqueous media $\text{Ca}(\text{OH})_2$ dissociates resulting in the formation of calcium cations and hydroxyl anions (when below the limit of water solubility).

10.2: Chemical stability

Under normal conditions of use and storage, calcium dihydroxide is stable

10.3: Possibility of hazardous reactions

Stable under normal conditions.

10.4: Conditions to avoid

Minimise exposure to air and moisture to avoid degradation.

10.5: Incompatible materials

Calcium dihydroxide reacts exothermically with acids to form salts. Calcium dihydroxide reacts with aluminium and brass in the presence of moisture leading to the production of hydrogen.



10.6: Hazardous decomposition products

None.

Further information: Calcium dihydroxide reacts with carbon dioxide to form calcium carbonate, which is a common material in nature.

11: TOXICOLOGICAL INFORMATION

11.1: Information on toxicological effects

Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met. LD50 (oral,rat) mg/kg: > 2000 mg/kg bw/day (OECD 425)
Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met. No data
Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met. LD50 (skin,rabbit) mg/kg: > 2500 (Unnamed 1994)
Skin corrosion/irritation	Skin Irritation - Category 2 Irritating to skin. (rabbit) (OECD 404)
Serious eye damage/irritation	Serious eye damage/irritation - Category 1. Causes severe eye damage. (rabbit) (OECD 405)
Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met. No data
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met. In vitro: Bacteria - Negative (OECD 471)
Carcinogenicity	Based upon the available data, the classification criteria are not met. NOAEL: 2150 mg/kg bw/day (rat) (Maekawa, A. et al. 1991)
Reproductive toxicity	Based upon the available data, the classification criteria are not met. NOAEL: 680 mg/kg bw/day (rat) (OECD 414)
STOT - single exposure	Specific target organ toxicity — single exposure - Category 3 - Positive (Eid, A.H.; el-Sewefy, A.Z. 1969)
STOT - repeated exposure	Based upon the available data, the classification criteria are not met. Weight of evidence approach.
Aspiration hazard	Based upon the available data, the classification criteria are not met. Weight of evidence approach.

12: ECOLOGICAL INFORMATION

12.1: Toxicity

- 12.1.1:** Acute/Prolonged toxicity to fish: LC₅₀ (96h) for freshwater fish: 50.6 mg/l
LC₅₀ (96h) for marine water fish: 457 mg/l
- 12.1.2:** Acute/Prolonged toxicity to aquatic invertebrates: EC₅₀ (48h) for freshwater invertebrates: 49.1 mg/l
LC₅₀ (96h) for marine water invertebrates: 158 mg/l
- 12.1.3:** Acute/Prolonged toxicity to aquatic plants: EC₅₀ (72h) for freshwater algae: 184.57 mg/l
NOEC (72h) for freshwater algae: 48 mg/l
- 12.1.4:** Toxicity to microorganisms e.g. bacteria: At high concentration, through the rise of temperature and pH, calcium dihydroxide is used for disinfection of sewage sludges.
- 12.1.5:** Chronic toxicity to aquatic organisms: NOEC (14d) for marine water invertebrates: 32 mg/l
- 12.1.6:** Toxicity to soil dwelling organisms: EC 10/LC10 or NOEC for soil macroorganisms: 2000 mg/kg soil dw
EC 10/LC10 or NOEC for soil microorganisms: 12000 mg/kg soil dw
- 12.1.7:** Toxicity to terrestrial plants: NOEC (21d) for terrestrial plants: 1080 mg/kg

12.1.8: General effect:

Acute pH effect. Although this product is useful to correct water acidity, an excess of more than 1 g/l may be harmful to aquatic life. pH value of > 12 will rapidly decrease as result of dilution and carbonation.

12.2: Persistence and degradability

Not relevant for inorganic substance

12.3: Bioaccumulative potential

Not relevant for inorganic substance

12.4: Mobility in soils

Calcium dihydroxide, which is sparingly soluble, presents a low mobility in most soils

12.5: Results of PBT and vPvB assessment

Not relevant for inorganic substances

12.6: Other adverse effects

No other adverse effects are identified

13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment:

Disposal of calcium dihydroxide should be in accordance with local and national legislation. Processing, use or contamination of this product may change the waste management options. Dispose of container and unused contents in accordance with applicable member state and local requirements. The used packing is only meant for packing this product; it should not be reused for other purposes. After usage, empty the

packing completely.

14: TRANSPORT INFORMATION

Calcium dihydroxide is not classified as hazardous for transport (ADR (Road), RID (Rail), IMDG / GGVSea (Sea).

- | | | |
|-------|--|---|
| 14.1: | UN No: | Not regulated |
| 14.2: | UN Proper Shipping Name: | Not regulated |
| 14.3: | Transport Hazard classes: | Not regulated |
| 14.4: | Packing Group: | Not regulated |
| 14.5: | Environmental hazards: | None |
| 14.6: | Special precautions for user: | Avoid any release of dust during transportation, by using air-tight tanks |
| 14.7: | Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not regulated |

15: Regulatory Information

15.1: Safety, Health and Environmental Regulations/Legislation specific for the substance

- | | |
|-----------------------|---|
| Authorisations: | Not required |
| Restrictions on use: | None |
| Other EU regulations: | Calcium dihydroxide is not a SEVESO substance, not an ozone-depleting substance and not a persistent organic pollutant. |
| National regulations: | None |

15.2: Chemical Safety Assessment

A chemical safety assessment has been carried out for this substance.

16: OTHER INFORMATION

Data are based on our latest knowledge but do not constitute a guarantee for any specific product features and do not establish a legally valid contractual relationship.

16.1: Revision

New format has been issued, all sections have been updated to include new information. Review SDS with care. This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006.

16.2: Abbreviations

- | | |
|--------------------|--|
| EC ₅₀ : | median effective concentration |
| LC ₅₀ : | median lethal concentration |
| LD ₅₀ : | median lethal dose |
| NOEC: | no observable effect concentration |
| OEL: | occupational exposure limit |
| PBT: | persistent, bioaccumulative, toxic chemical |
| PNEC: | predicted no-effect concentration |
| SCOEL: | Scientific Committee on occupational exposure limits |
| STEL: | short-term exposure limit |
| TWA: | time weighted average |
| vPvB: | very persistent, very bioaccumulative chemical |

16.3: Key Literature References

1. Maekawa, A. et al., 1991, Fd Chem. Toxic. Vol. 29, No. 9: 589-594
2. Eid, A.H.; El-Sewefy, A.Z., 1969, J. Egypt. Med. Assoc. 52, 400-406
3. Locke A., Doe K.G., Fairchild W.L., Jackman P.M. and Reese E.J., 2008, Aquatic Invasions (2009) Volume 4, Issue 1: 221-236

16.4: Relevant H- statements

- H315: Causes skin irritation
H318: Causes serious eye damage
H335: May cause respiratory irritation

DISCLAIMER

This safety data sheet (SDS) is based on the legal provisions of the REACH Regulation (EC 1907/2006; article 31 and Annex II), as amended. Its contents are intended as a guide to the appropriate precautionary handling of the material. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. Information and instructions provided in this SDS are based on the current state of scientific and technical knowledge at the date of issue indicated. It should not be construed as any guarantee of technical performance, suitability for particular applications, and does not establish a legally valid contractual relationship. This version of the SDS supersedes all previous versions.

APPENDIX including Exposure Scenarios 9.1, 9.2, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.9, 9.10, 9.11, 9.12, 9.13, 9.14, 9.15 and 9.16